



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

TIDEWATER REGIONAL OFFICE

5636 Southern Boulevard, Virginia Beach, Virginia 23462

(757) 518-2000 Fax (757) 518-2009

www.deq.virginia.gov

Doug Domenech
Secretary of Natural Resources

David K. Paylor
Director

Maria R. Nold
Regional Director

May 22, 2012

D. B. Horne, P.E.
Engineering Field Director
Virginia Department of Health
Office of Drinking Water
830 Southampton Ave., Room 2058
Norfolk, VA 23510

RE: Reissuance of VPA Permit No. VPA01047
Kuzzens Inc. -Tomato Packaging Plant
Painter, VA

Dear Sir:

Enclosed is a copy of the referenced VPA permit application for your review and concurrence. A copy of this application is also being provided to the Division of Shellfish Sanitation in Richmond and VMRC in Newport News for their review and comment.

Please submit a letter to this office within 14 days with your comments or objections or a statement verifying that the Virginia Department of Health, Office of Drinking Water, has no comments on the application. You may contact me at 757-518-2106 or email at robert.smithsonjr@deq.virginia.gov if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Robert E. Smithson, Jr.", written over a horizontal line.

Robert E. Smithson, Jr.
Environmental Specialist Senior

cc: DEQ - TRO/ECM

Enclosure: Permit Application